





ZJD-8-4040B

Material: Aluminum (6063-T5)
Length: 6.01M
Weight: 1.95kg/m
Finish: Anodizing
Moment of Inertia: LX:9.70cm⁴ LY:9.70cm⁴
Section Modulus: ZX:5.10cm³ ZY:5.10cm³




ZJD-8-4040C

Material: Aluminum (6063-T5)
Length: 6.01M
Weight: 1.55kg/m
Finish: Anodizing
Moment of Inertia: LX:9.25cm⁴ LY:9.25cm⁴
Section Modulus: ZX:4.86cm³ ZY:4.86cm³




ZJD-8-4040D

Material: Aluminum (6063-T5)
Length: 6.01M
Weight: 2.2kg/m
Finish: Anodizing
Moment of Inertia: LX:10.20cm⁴ LY:10.20cm⁴
Section Modulus: ZX:5.32cm³ ZY:5.32cm³




ZJD-8-4040E

Material: Aluminum (6063-T5)
Length: 6.01M
Weight: 1.25kg/m
Finish: Anodizing
Moment of Inertia: LX:7.30cm⁴ LY:7.30cm⁴
Section Modulus: ZX:4.25cm³ ZY:4.25cm³





ZJD-8-4040F



Material: Aluminum (6063-T5)

Length: 6.01M


Weight: 1.95kg/m

Finish: Anodizing

Moment of Inertia: LX:130.10cm⁴ LY:130.10cm⁴

Section Modulus: ZX:32.10cm³ ZY:32.10cm³

ZJD-8-4040H



Material: Aluminum (6063-T5)

Length: 6.01M

Weight: 2.1kg/m


Finish: Anodizing

Moment of Inertia: LX:3.85cm⁴ LY:3.85cm⁴

Section Modulus: ZX:8.80cm³ ZY:2.80cm³



ZJD-8-4040HA



Material: Aluminum (6063-T5)

Length: 6.01M


Weight: 1.65kg/m

Finish: Anodizing

Moment of Inertia: LX:10.20cm⁴ LY:10.20cm⁴

Section Modulus: ZX:5.32cm³ ZY:5.32cm³

ZJD-8-4040HB



Material: Aluminum (6063-T5)

Length: 6.01M

Weight: 2.4kg/m

Finish: Anodizing

Moment of Inertia: LX:9.70cm⁴ LY:9.70cm⁴

Section Modulus: ZX:5.10cm³ ZY:5.10cm³





ZJD-8-4040HC

Material: Aluminum (6063-T5)



Length: 6.01M

Weight: 1.65kg/m

Finish: Anodizing

Moment of Inertia: LX:9.62cm⁴ LY:9.62cm⁴

Section Modulus: ZX:4.95cm³ ZY:4.95cm³



ZJD-8-4040HD

Material: Aluminum (6063-T5)

Length: 6.01M

Weight: 2.03kg/m

Finish: Anodizing

Moment of Inertia: LX:9.70cm⁴ LY:9.70cm⁴

Section Modulus: ZX:5.10cm³ ZY:5.10cm³



40

series



ZJD-8-4040HE

Material: Aluminum (6063-T5)



Length: 6.01M

Weight: 1.6kg/m

Finish: Anodizing

Moment of Inertia: LX:2.85cm⁴ LY:2.85cm⁴

Section Modulus: ZX:1.80cm³ ZY:1.80cm³



ZJD-8-4040HF

Material: Aluminum (6063-T5)

Length: 6.01M

Weight: 2.1kg/m

Finish: Anodizing

Moment of Inertia: LX:6.42cm⁴ LY:6.42cm⁴

Section Modulus: ZX:3.74cm³ ZY:3.74cm³






ZJD-8-4040HG

Length: 6.01M

Finish: Anodizing

Moment of Inertia: LX:106.2cm⁴ LY:32.4cm⁴

Section Modulus: ZX:30.6cm³ ZY:15.3cm³



ZJD-8-4040HJ

Material: Aluminum (6063-T5)


Length: 6.01M

Weight: 1.71kg/m

Finish: Anodizing

Moment of Inertia: LX:106.2cm⁴ LY:32.4cm⁴

Section Modulus: ZX:30.6cm³ ZY:15.3cm³



ZJD-8-4040HP

Material: Aluminum (6063-T5)


Length: 6.01M

Weight: 1.9kg/m

Finish: Anodizing

Moment of Inertia: LX:8.85cm⁴ LY:8.85cm⁴

Section Modulus: ZX:4.80cm³ ZY:4.80cm³



ZJD-8-4040HR

Material: Aluminum (6063-T5)


Length: 6.01M

Weight: 2.1kg/m

Finish: Anodizing

Moment of Inertia: $L_x: 9.25 \text{ cm}^4$ $L_y: 9.25 \text{ cm}^4$

Section Modulus: Zx:4.86cm³ Zy:4.86cm³



40

series



ZJD-8-4040K

Material: Aluminum (6063-T5)


Length: 6.01M

Weight: 2.27kg/m

Finish: Anodizing

Moment of Inertia: LX:10.20cm⁴ LY:10.20cm⁴

Section Modulus: ZX:5.32cm³ ZY:5.32cm³



ZJD-8-4040L

Material: Aluminum (6063-T5)


Length: 6.01M

Weight: 1.66 KG/M

Finish: Anodizing

Moment of Inertia: Lx:0.72cm⁴ Ly:0.72cm⁴

Section Modulus: Zx:0.72cm³ Zy:0.72cm³



ZJD-8-4040R

Material: Aluminum (6063-T5)


Length: 6.01M

Weight: 1.75kg/m

Finish: Anodizing

Moment of Inertia: LX:6.15cm⁴ LY:6.15cm⁴

Section Modulus: ZX:2.84cm³ ZY:2.84cm³



ZJD-8-4040V

Material: Aluminum (6063-T5)


Length: 6.01M

Weight: 1.8kg/m

Finish: Anodizing


Moment of Inertia: LX:2.85cm⁴ LY:2.85cm⁴

Section Modulus: ZX:1.80cm³ ZY:1.80cm³





ZJD-8-4060



Material: Aluminum (6063-T5)


Length: 6.01M

Weight: 3.05kg/m

Finish: Anodizing

Moment of Inertia: LX:106.2cm⁴ LY:32.4cm⁴

Section Modulus: ZX:30.6cm³ ZY:15.3cm³



ZJD-8-4080

Material: Aluminum (6063-T5)

Length: 6.01M

Weight: 3.5kg/m


Finish: Anodizing

Moment of Inertia: LX:74.8cm⁴ LY:21.6cm⁴

Section Modulus: ZX:17.4cm³ ZY:8.7cm³



ZJD-8-4080C



Material: Aluminum (6063-T5)


Length: 6.01M

Weight: 2.85kg/m

Finish: Anodizing

Moment of Inertia: LX:74.8cm⁴ LY:21.6cm⁴

Section Modulus: ZX:17.4cm³ ZY:8.7cm³



ZJD-8-4080D

Material: Aluminum (6063-T5)

Length: 6.01M

Weight: 3.9kg/m

Finish: Anodizing

Moment of Inertia: LX:74.8cm⁴ LY:21.6cm⁴


Section Modulus: ZX:17.4cm³ ZY:8.7cm³






ZJD-8-4080DR

Material: Aluminum (6063-T5)
 Length: 6.01M
 Weight: 4.55kg/m
 Finish: Anodizing
 Moment of Inertia: LX:49.60cm⁴ LY:49.60cm⁴
 Section Modulus: ZX:25.10cm³ ZY:25.10cm³




ZJD-8-4080H

Material: Aluminum (6063-T5)
 Length: 6.01M
 Weight: 2.6kg/m
 Finish: Anodizing
 Moment of Inertia: LX:10.20cm⁴ LY:10.20cm⁴
 Section Modulus: ZX:5.32cm³ ZY:5.32cm³




ZJD-8-4080HD

Material: Aluminum (6063-T5)
 Length: 6.01M
 Weight: 4.04kg/m
 Finish: Anodizing
 Moment of Inertia: LX:80cm⁴ LY:20.35cm⁴
 Section Modulus: ZX:19.20cm³ ZY:19.60cm³



ZJD-8-4080HE

Material: Aluminum (6063-T5)
 Length: 6.01M
 Weight: 4.2kg/m
 Finish: Anodizing
 Moment of Inertia: LX:80cm⁴ LY:20.35cm⁴
 Section Modulus: ZX:19.20cm³ ZY:19.60cm³





ZJD-8-4080K

Material: Aluminum (6063-T5)


Length: 6.01M

Weight: 4.05kg/m

Finish: Anodizing

Moment of Inertia: LX:74.8cm⁴ LY:21.6cm⁴

Section Modulus: ZX:17.4cm³ ZY:8.7cm³



ZJD-8-4080L

Material: Aluminum (6063-T5)


Length: 6.01M

Weight: 3.0kg/m

Finish: Anodizing

Moment of Inertia: LX:48.6cm⁴ LY:20.20cm⁴

Section Modulus: ZX:14.60cm³ ZY:7.30cm³



40

series



ZJD-8-4080P

Material: Aluminum (6063-T5)


Length: 6.01M

Weight: 5.43kg/m

Finish: Anodizing

Moment of Inertia: LX:89.60cm⁴ LY:89.60cm⁴

Section Modulus: ZX:45.10cm³ ZY:45.10cm³



ZJD-8-4080Q

Material: Aluminum (6063-T5)


Length: 6.01M

Weight: 4.85kg/m

Finish: Anodizing

Moment of Inertia: LX:129.60cm⁴ LY:129.60cm⁴

Section Modulus: ZX:55.10cm³ ZY:55.10cm³





ZJD-10-4040HW

Material: Aluminum (6063-T5)



Length: 6.01M

Weight: 1.82kg/m

Finish: Anodizing

Moment of Inertia: LX:5.86cm⁴ ZX:5.86cm⁴

Section Modulus: ZX:3.82cm³ ZY:3.85cm³



ZJD-10-4080



Material: Aluminum (6063-T5)

Length: 6.01M

Weight: 3.3kg/m

Finish: Anodizing

Moment of Inertia: LX:27.85cm⁴ LY:27.85cm⁴

Section Modulus: ZX:12.80cm³ ZY:12.80cm³

40

series



ZJD-10-4080HW

Material: Aluminum (6063-T5)



Length: 6.01M

Weight: 3.2kg/m

Finish: Anodizing

Moment of Inertia: LX:27.82cm⁴ LY:27.82cm⁴

Section Modulus: ZX:12.75cm³ ZY:12.75cm³



ZJD-10-40120



Material: Aluminum (6063-T5)

Length: 6.01M

Weight: 4.8kg/m

Finish: Anodizing

Moment of Inertia: LX:89.60cm⁴ LY:89.60cm⁴

Section Modulus: ZX:35.10cm³ ZY:35.10cm³